

# Product Verification

## Sustainability


### Product Systems

#### Flight Vitality

#### Whitecroft Lighting Ltd

The luminaire is compact and lightweight enabling single person installation, with bodies as small as 585x285mm and weighing as little as 4.9kg. Designed with snap fit brackets and plug and play electrical connection to support swift and safe installatio

<https://www.whitecroftlighting.com/flight/>



## ■ Ecolabels & Product-Assessments

Cradle to Cradle Certified™ Bronze



## ■ Product Properties

### Ingredients:

VOC content according 2004/42/EG:	0 g/l
VOC content according 2004/42/EG:	0 g/m <sup>2</sup>
Recycled content pre-consumer:	0 wt%
Recycled content post-consumer:	42 wt%
SVHC according REACH < 0,1 %:	Yes
Percentage of the product's composition, that is known to the chemical ingredient level	84 wt%
To what level of detail is the product composition known?	100 ppm
Reused content	98 wt%
Rapidly renewable content	0 wt%
Non renewable virgin raw material content	0 wt%
Free (< 0,1 %) of biocidal:	Yes
Free (< 0,1 %) of chlorinated paraffins (= CP inkl. SCCP, MCCP, LCCP):	Yes
Free (< 0,1 %) of polybrominated diphenyl ethers (= PBDE):	Yes
Free (< 0,1 %) of polybrominated biphenyls (= PBB):	Yes
Free (< 0,1 %) of hexabromocyclododecane (= HBCD):	Yes
Free (< 0,1 %) of tris (2-carboxyethyl) phosphine (= TCEP):	Yes
Free (< 0,1 %) of lead:	No
Free (< 0,1 %) of cadmium:	No
Free (< 0,1 %) of chromium-VI compounds:	Yes
Free of solvent according to VdL-RL01:	Yes
Free (< 0,1 %) of aromatic compounds:	Yes
Free (< 0,1 %) from halogenated propellants:	Yes
Free (< 0,1 %) of tin:	No
Free (< 0,1 %) of halogenated flame retardants:	No

Content of VOC:	5 %
Content of solvents:	5 %
Free (< 0,1 %) of halogens:	Yes
Free of plasticizer according to VdL-RL01:	Yes
Free (< 0,1 %) of hydrocarbon (KWS) plasticizer:	Yes

### Emissions:

TVOC after 4 Days:	0 µg/m <sup>2</sup> h
Formaldehyde emissions after 28 days according DIN EN 717-1:	0 mg/m <sup>3</sup>
Formaldehyde emissions after 28 days according DIN EN 717-1:	0 ppm
Formaldehyde emissions:	0 µg/m <sup>2</sup> h
R-Value according to AgBB:	1000
Has the product been tested for indoor air emissions?	Yes
TVOC after 3 days according ISO 16000-3 / AgBB:	0 mg/m <sup>3</sup>
TVOC after 7 days	0 mg/m <sup>3</sup>
TVOC after 14 days	0 mg/m <sup>3</sup>
TVOC after 28 days according ISO 16000-3 / AgBB:	0 mg/m <sup>3</sup>
SVOC after 3 days according ISO 16000-3 / AgBB:	0 mg/m <sup>3</sup>
SVOC after 28 days according ISO 16000-3 / AgBB:	0 mg/m <sup>3</sup>
Carcinogens 1A and 1B after 3 days according ISO-16000 / AgBB:	0 mg/m <sup>3</sup>
Carcinogens 1A and 1B after 28 days according ISO-16000 / AgBB:	0 mg/m <sup>3</sup>

### Life Cycle Assessment:

Functional use period	25 a
-----------------------	------

### Manufacturer:

Are reverse logistics in place for the product?	Yes
Environmental Management System according ISO 14001:	Yes

### Circularity:

Has the product been designed for reuse, refurbishment or remanufacturing?	Yes
Is the product designed for a recycling of equal quality?	Yes
Was the product designed for biodegradation?	No

Was the product designed for clean incineration?	Yes
Product was designed with cycling in mind.	Yes
Was the Product designed for emission or direct dispersal?	Yes
Was the product specifically designed for clean and rapid disassembly?	Yes

#### ■ Contact Details Manufacturer

##### **Whitecroft Lighting Ltd**

Burlington Street Ashton-under-Lyne  
OL7 0AX Lancashire  
GB  
Contact Person: Jack Johnson



#### ■ Disclaimer

Notice: This verification is generated by the Assessment Service of BMS. The distribution or publication by third parties is not permitted. The information is based on the manufacturer's specifications. Despite a diligent treatment of all information BMS can not make any warranties about the completeness, reliability and accuracy of this information. The user of the data sheet, the user / purchaser of the product and the consultant / planner, who is advising on this product has the duty to check the product for the intended application at their own responsibility. When a new version of this product verification is produced, the previous version loses its validity.