

Kolo MSU Kit



Healthcare MSS compliant protective kit for Kolo Surface luminaire



Overview

A robust protective kit comprising mounting frames, polycarbonate diffuser and tamperproof fixings. Independently tested and approved to comply the rigorous requirements of the Department of Health, Medium Secure Specification (MSS). Over and above IK10 impact rated and anti-ligature, the kit enables use of a standard luminaire in a Medium Secure Unit (MSU) environment.

Optics

- Photometric performance as standard Kolo 400mm diameter

Body

- To be used in conjunction with a standard Kolo Surface 400mm diameter white luminaire
- Luminaire to be specified separately (see Kolo Surface web page)
- 1.2mm thick spun steel outer bezel
- Retained by tamperproof fixing screws
- Bezel finished white RAL 9003
- IP44 ingress protection (as standard Kolo luminaire)
- Dept of Health Medium Secure Specification (MSS) compliant
- Independently tested and approved
- For areas where MSS is not required - see Kolo Anti Ligature Kit

Order codes


Kolo Surface MSU Kit

Description	Order Code
Kolo MSU Kit Only	MSKITKOLO
Luminaire to be ordered separately	

Accessories

Description	Order Code
Special access tool	HAL-KEY


Dimensions



VERSION	H	KG	Ø
Kolo MSU Kit Only	95	2.0	485

See Kolo Surface web page for luminaire dimensions.

Photometric Performance



4000K LED, 2359
lumen
LOR = 100%
SHR MAX = 1.64

To Specify

Robust and protective kit for use with Kolo Surface luminaire in Medium Secure Units. Independently tested and approved in compliance with Department of Health, Medium Secure Specification - as Whitecroft Lighting KOLO MSU KIT
