

CI/SfB (63) X

CAWS V21 V40 V41 V42

Whitecroft
lighting



Additions 8

Spectre Wallwasher

Compact fluorescent wallwasher

Downlights: IP20 recessed compact wallwasher

Spectre *Wallwasher*

MOTIVATION

Spectre wallwasher is designed to aesthetically match the standard Spectre 200 IP20 from below while allowing wallwashing around perimeters or to emphasise displays, art or commercial signage. This asymmetric distribution is elegantly achieved within the luminaire optic.

APPLICATION

- Retail
- Corridor walls
- Conference room walls
- Reception areas
- Painting and wall hangings
- Signage

SPECIFICATION

- Lamp options:
 - 2 x 18 & 26W TC-D
 - 1 x 18W TC-D & 42W TC-T
- IP20 protection
- High frequency ballast housed in remote pack
- Specular reflector
- Mounting ring in die cast aluminium
- Thermoplastic ceiling trim, white RAL 9010
- Lamps not supplied





SPW22-218W









Spectre Wallwasher
1 x 18W TC-D





Spectre Wallwasher
2 x 26W TC-D




Spectre Wallwasher
2 x 18W TC-D



Spectre Wallwasher
1 x 42W TC-T



DIMENSIONS



Spectre Wallwasher

ORDER CODES

RECESSED CIRCULAR COMPACT WALLWASHER

LUMINAIRE	BEZEL COLOUR	DESCRIPTION
SPW22-118W	White	1 x 18W TC-D IP20
SPW22-218W	White	2 x 18W TC-D IP20
SPW22-226W	White	2 x 26W TC-D IP20
SPW22-142W	White	1 x 42W TC-T IP20

NOTE Standard bezel colour is white RAL9010

To specify state.
Recessed compact asymmetric IP20 wallwashing downlight. Die cast aluminium mounting ring and RAL 9010 thermoplastic ceiling trim. Remote high frequency gear box. Overall diameter not to exceed 228mm and recess depth not to exceed 165mm – as Whitecroft Lighting SPECTRE Wallwasher.



Whitecroft Lighting Ltd

Burlington Street
Ashton-under-Lyne
Lancashire OL7 0AX
United Kingdom

Telephone: +44 (0)870 5 087 087

Facsimile: +44 (0)870 5 084 210

email@whitecroftlight.com

www.whitecroftlighting.com

Moorlite·Hitech·Simplex