



Your total project solution is here

Stiletto



From corridors and storage rooms, to kitchens and breakout areas. From quality standards, to ease of installation, to sustainability.

Stiletto makes life beautifully simple. A solution for any project.

Stiletto





Ultimate flexibility; outputs from 2200 to 7500 lumens, 3000K or 4000K colour temperatures — the right light for any space



Simple installation with a variety of mounting methods: surface, conduit, BESA and trunking



Optional integrated wireless controls create lighting states that optimise the user experience



Reduce operational energy use with the latest LED and LiFePO4 battery technology, plus integrated controls for daylight and occupancy



Meet your sustainability goals thanks to our commitment to circular design principles and transparent reporting



A clean space with a neutral, modern aesthetic



IP54-rated as standard — a robust solution for a wide range of applications

Streamline design, streamlined installation

We understand that construction sites are pressured environments. It's why Stiletto is designed with straightforward installation in mind to de-risk your project timelines.

Mount it your way

With surface, conduit, BESA and trunking mounting options.

Simple installation, smart set up

With no special tools required, straightforward installation and intuitive set up of smart controls, Stiletto keeps things simple on site.

On the spot maintenance

A removable light cartridge gives full access to all components, enabling individual parts to be easily maintained and upgraded on the spot and at floor level with standard tools.

Out of the box operation

Wireless controls are integrated with quick smart phone set up to reduce commissioning time. Simple out of the box functionality, saving energy, time, risk from day one and into the future.

Whitecroft Lighting Stiletto 5

Smart, yet simple

Less energy, more flexibility with our range of intuitive controls



Lighting design should consider the function of the space throughout the day and into the evening, as needs — and daylight — change. Organic Response® automatically balances classroom lighting with daylight to keep levels comfortable and reduce energy by up to 30%.

Intuitive controls also offer users lighting options to create the right lighting ambience for every kind of task.



Reducing
embodied carbon
virgin material extraction
carbon miles
maintenance
end of life waste

At Whitecroft, we're committed to working to circular design principles. That means finding ways to reduce the impact of our products throughout their entire life-cycle and allowing for future regeneration or repurposing of materials.

And we don't just say it, we prove it. Stiletto comes with a third-party life-cycle assessment (LCA) and environmental product declaration (EPD), calculating whole life environmental impact.




Stiletto offers a range of products options suitable for a variety of environments. For product information and technical details please visit our website.

Type	Integral controls	Dri	ver		Nominal output				Colour temperature		Colour rendition	Body colour	Emergency lighting		
	Organic Response®	Fixed output	DALI	2200	3300	4500	5500	7500	3000K	4000K	Ra80	White	EM	COMEPS	Routefinder Wireless
	•		•	•	•	•	•	•	•	•	•	•	•	•	•
Surface															

- 2200, 3300 and 4500 lumens = 1200mm length (nominal)
- 5500 and 7500 lumens = 1500mm length (nominal)
- Organic Response® only available with a DALI driver
- Routefinder Wireless (EW) not available with Organic Response®

Product dimensions

Description	Dimensions (mm)
Stiletto 2200 - 4500 lumens	134W x 1212L x 74D
Stiletto 5500 - 7500 lumens	134W x 1512L x 74D



Whitecroft Lighting Stiletto 8









UK Head Office

Whitecroft Lighting Ltd **Burlington Street** Ashton-Under-Lyne Lancashire OL7 0AX

T +44 (0)161 330 6811 email@whitecroftlight.com

London Office

Whitecroft Lighting Ltd Suite 779 Salisbury House London Wall Finsbury Circus EC2M 5SQ

T +44 (0)161 330 6811

Rep. Ireland Office

Fagerhult Ltd F1 Calmount Park Ballymount, Dublin 12 Ireland

T +353 (0)1 426 0200 info@fagerhult.ie www.fagerhult.ie







